

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas/BOM,v

Working file: atlas/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 7.0

keyword substitution: kv

total revisions: 1799; selected revisions: 6

description:

-----  
revision 2.6

date: 1995/01/19 05:16:01; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

clean and build

Geert

-----  
revision 2.5

date: 1995/01/19 05:11:19; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

Added clean-mecahnism

Geert

-----  
revision 2.4

date: 1995/01/19 05:07:25; author: geert; state: Exp; lines: +2 -2

Release Target: atlas

Makefile.defs

Added .html rules

Geert

-----  
revision 2.3

date: 1995/01/19 05:00:43; author: geert; state: Exp; lines: +5 -1

Release Target: atlas

welcome.ht

Initial release

Geert

-----  
revision 2.2

date: 1995/01/19 04:59:27; author: geert; state: Exp; lines: +5 -1

Release Target: atlas/doc

Initial release

Geert

-----  
revision 2.1

date: 1995/01/19 04:49:51; author: geert; state: Exp; lines: +5 -1

Release Target: atlas

Makefile.rules

Initial release

Geert

```
=====
RCS file: /p/cvsroot/atlas/Makefile,v
working file: atlas/Makefile
head: 1.11
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.11
keyword substitution: kv
total revisions: 11;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/01/17 18:53:52; author: wingard; state: Exp; lines: +2 -1
Add defs and rules for the HTML documentation tree
=====
```

```
RCS file: /p/cvsroot/atlas/Makefile.defs,v
working file: atlas/Makefile.defs
head: 1.62
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.62
keyword substitution: kv
total revisions: 62;    selected revisions: 2
description:
-----
```

```
revision 1.3
date: 1995/01/18 20:37:34; author: geert; state: Exp; lines: +2 -2
Changed path to the doc.h file
-----
```

```
revision 1.2
date: 1995/01/17 18:53:54; author: wingard; state: Exp; lines: +33 -1
Add defs and rules for the HTML documentation tree
=====
```

```
RCS file: /p/cvsroot/atlas/Makefile.rules,v
working file: atlas/Makefile.rules
head: 2.16
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.16
keyword substitution: kv
total revisions: 16;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/01/18 18:23:50; author: wingard; state: Exp; lines: +2 -2
Initial version of home page.
Fix typo in DOC_INCLUDE call in Makefile.rules
-----
```

```
revision 2.1
date: 1995/01/17 18:53:56; author: wingard; state: Exp;
Add defs and rules for the HTML documentation tree
=====
```

```
RCS file: /p/cvsroot/atlas/welcome.ht,v
```

bu Jan 17-23 1995.log

Working file: atlas/welcome.ht

head: 2.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

-----  
revision 2.1

date: 1995/01/18 18:23:52; author: wingard; state: Exp;

Initial version of home page.

Fix typo in DOC\_INCLUDE call in Makefile.rules

=====

RCS file: /p/cvsroot/atlas/doc/Attic/.checkoutrc,v

Working file: atlas/doc/.checkoutrc

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/01/19 05:15:19; author: geert; state: Exp; lines: +2 -2

Added clean-make

Geert

-----  
revision 2.1

date: 1995/01/19 04:58:30; author: geert; state: Exp;

Initial check-in

Geert

=====

RCS file: /p/cvsroot/atlas/doc/BOM,v

Working file: atlas/doc/BOM

head: 37.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 37.0

keyword substitution: kv

total revisions: 83; selected revisions: 8

description:

releasebom adding BOM

-----  
revision 5.0

date: 1995/01/19 05:15:51; author: geert; state: Exp; lines: +1 -1

Release Target: atlas/doc

clean and build

Geert

-----  
revision 4.1

bu Jan 17-23 1995.log  
date: 1995/01/19 05:15:45; author: geert; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 4.0  
date: 1995/01/19 05:11:09; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/doc

Added clean-mecahnism

Geert

-----  
revision 3.1  
date: 1995/01/19 05:11:02; author: geert; state: Exp; lines: +3 -2  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 3.0  
date: 1995/01/19 04:59:18; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/doc

Initial release

Geert

-----  
revision 2.1  
date: 1995/01/19 04:59:11; author: geert; state: Exp; lines: +2 -1  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0  
date: 1995/01/18 18:27:30; author: wingard; state: Exp; lines: +1 -1  
Release Target: atlas

First version of HTML-based documentation system, with a few early  
documentation files.

-----  
revision 1.1  
date: 1995/01/18 18:27:22; author: wingard; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/doc/Attic/Makefile,v  
Working file: atlas/doc/Makefile  
head: 1.13  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 3  
description:

-----  
revision 1.3  
date: 1995/01/19 05:09:00; author: geert; state: Exp; lines: +3 -1  
Added clean mecahnism

Geert

-----  
revision 1.2  
date: 1995/01/18 18:24:36; author: wingard; state: Exp; lines: +2 -2  
Add whats\_new and documentation overview  
Improve doc.h macros

-----  
revision 1.1  
date: 1995/01/17 18:54:29; author: wingard; state: Exp;

bu Jan 17-23 1995.log

Beginnings of the HTML documentation scheme. More to come...

---

RCS file: /p/cvsroot/atlas/doc/clean-request,v  
Working file: atlas/doc/clean-request  
head: 3.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 3.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:

---

revision 3.1  
date: 1995/01/19 05:09:02; author: geert; state: Exp;  
Added clean mecahnism

Geert

---

RCS file: /p/cvsroot/atlas/doc/decisions.ht,v  
Working file: atlas/doc/decisions.ht  
head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8;    selected revisions: 5  
description:

---

revision 1.5  
date: 1995/01/18 18:24:38; author: wingard; state: Exp; lines: +5 -3  
Add whats\_new and documentation overview  
Improve doc.h macros

---

revision 1.4  
date: 1995/01/17 19:18:24; author: wingard; state: Exp; lines: +1 -1  
AAARGGGH Fourth try

---

revision 1.3  
date: 1995/01/17 19:17:56; author: wingard; state: Exp; lines: +1 -1  
Third try at getting CVS \$Id\$ string right...

---

revision 1.2  
date: 1995/01/17 19:16:35; author: wingard; state: Exp; lines: +1 -1  
Fix RCS version info string so it doesn't take up so much space

---

revision 1.1  
date: 1995/01/17 18:54:31; author: wingard; state: Exp;  
Beginnings of the HTML documentation scheme. More to come...

---

RCS file: /p/cvsroot/atlas/doc/Attic/doc.h,v  
Working file: atlas/doc/doc.h  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:

bu Jan 17-23 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/18 18:24:40; author: wingard; state: Exp; lines: +4 -1  
Add whats\_new and documentation overview  
Improve doc.h macros  
-----

revision 1.1  
date: 1995/01/17 18:54:33; author: wingard; state: Exp;  
Beginnings of the HTML documentation scheme. More to come...  
=====

RCS file: /p/cvsroot/atlas/doc/Attic/documentation.ht,v  
working file: atlas/doc/documentation.ht  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/19 17:58:01; author: wingard; state: Exp; lines: +4 -4  
Fix URL to HTML Primer...  
-----

revision 1.1  
date: 1995/01/18 18:24:42; author: wingard; state: Exp;  
Add whats\_new and documentation overview  
Improve doc.h macros  
=====

RCS file: /p/cvsroot/atlas/doc/Attic/whats\_new.ht,v  
working file: atlas/doc/whats\_new.ht  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/18 18:24:44; author: wingard; state: Exp;  
Add whats\_new and documentation overview  
Improve doc.h macros  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandff17qm/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvandff17qm/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

bu Jan 17-23 1995.log

revision 1.1  
date: 1995/01/21 19:32:34; author: ong; state: Exp;  
initial check in of stdcell template schematic

---

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvandffb17qm/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/21 19:32:36; author: ong; state: Exp;  
initial check in of stdcell template schematic

---

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/body.1.1,v  
working file: atlas/ged/xv/xvandffb17qm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/21 22:05:29; author: ong; state: Exp;  
New bodies added or bodies modified

---

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/body.2.1,v  
working file: atlas/ged/xv/xvandffb17qm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/21 22:05:31; author: ong; state: Exp;  
New bodies added or bodies modified

---

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvandffb17qm/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

bu Jan 17-23 1995.log

-----  
revision 1.1

date: 1995/01/21 22:05:33; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvandffb17qm/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1

date: 1995/01/21 22:05:35; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/body.1.1,v  
working file: atlas/ged/xv/xvandlb17qm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1

date: 1995/01/21 19:32:45; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/body.2.1,v  
working file: atlas/ged/xv/xvandlb17qm/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.2

date: 1995/01/21 22:05:39; author: ong; state: Exp; lines: +66 -66  
New bodies added or bodies modified  
=====

revision 1.1

date: 1995/01/21 19:32:47; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvandlb17qm/spice.1.1  
head: 1.2  
branch:  
locks: strict

bu Jan 17-23 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:32:41; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvandlb17qm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:32:43; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffbqm/Attic/body.1.1,v  
working file: atlas/ged/xv/xvffbqm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:42; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffbqm/Attic/body.2.1,v  
working file: atlas/ged/xv/xvffbqm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:44; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffbqm/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvffbqm/spice.1.1  
head: 1.2  
branch:

bu Jan 17-23 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:05:46; author: ong; state: Exp; lines: +3 -3  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:32:52; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffbgm/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvffbgm/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:32:54; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvinvnm/Attic/body.1.1,v  
working file: atlas/ged/xv/xvinvnm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:02; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvinvnm/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvinvnm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:32:58; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvinvnm/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvinvnm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:00; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvlataqm/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:05:50; author: ong; state: Exp; lines: +18 -18  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:33:10; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvlataqm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:52; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvlataqm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

bu Jan 17-23 1995.log

-----  
revision 1.1  
date: 1995/01/21 19:33:07; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvlatbqm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 19:33:09; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvlatbqm/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/01/21 22:05:55; author: ong; state: Exp; lines: +19 -19  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:33:20; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvlatbqm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 22:05:57; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvlatbqm/spice.1.1  
head: 1.2  
branch:  
locks: strict

bu Jan 17-23 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:16; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvlatbqm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:18; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/body.1.1,v  
working file: atlas/ged/xv/xvmux8nm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:01; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/body.2.1,v  
working file: atlas/ged/xv/xvmux8nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:02; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvmux8nm/spice.1.1  
head: 1.2  
branch:

bu Jan 17-23 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:25; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvmux8nm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:27; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8qm/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvmux8qm/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:06:06; author: ong; state: Exp; lines: +45 -45  
New bodies added or bodies modified

-----  
revision 1.1  
date: 1995/01/21 19:33:36; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8qm/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvmux8qm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:07; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8qm/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvmux8qm/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:32; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8qm/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvmux8qm/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:34; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmuxff8nm/Attic/body.1.1,v  
working file: atlas/ged/xv/xvmuxff8nm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:11; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmuxff8nm/Attic/body.2.1,v  
working file: atlas/ged/xv/xvmuxff8nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:12; author: ong; state: Exp;  
New bodies added or bodies modified

bu Jan 17-23 1995.log

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvmuxff8nm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvmuxff8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.2
date: 1995/01/21 22:06:14; author: ong; state: Exp; lines: +31 -40
New bodies added or bodies modified
-----
```

```
revision 1.1
date: 1995/01/21 19:33:40; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvmuxff8nm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvmuxff8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.2
date: 1995/01/21 22:06:16; author: ong; state: Exp; lines: +66 -66
New bodies added or bodies modified
-----
```

```
revision 1.1
date: 1995/01/21 19:33:43; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvmux1b8nm/Attic/body.1.1,v
Working file: atlas/ged/xv/xvmux1b8nm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.2
date: 1995/01/21 22:06:19; author: ong; state: Exp; lines: +54 -53
New bodies added or bodies modified
-----
```

```
revision 1.1
date: 1995/01/21 19:33:53; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvmux1b8nm/Attic/body.2.1,v
```

bu jan 17-23 1995.log

working file: atlas/ged/xv/xvmux1b8nm/body.2.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/01/21 22:06:21; author: ong; state: Exp;

New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux1b8nm/Attic/spice.1.1,v

working file: atlas/ged/xv/xvmux1b8nm/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/01/21 19:33:48; author: ong; state: Exp;

initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux1b8nm/Attic/spice\_cn.1.1,v

working file: atlas/ged/xv/xvmux1b8nm/spice\_cn.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/01/21 19:33:50; author: ong; state: Exp;

initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/body.1.1,v

working file: atlas/ged/xv/xvnand4nm/body.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/01/21 22:06:24; author: ong; state: Exp;

New bodies added or bodies modified  
=====

bu Jan 17-23 1995.log  
RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvnand4nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/21 22:06:26; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvnand4nm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/21 19:33:57; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvnand4nm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/21 19:33:59; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnor4nm/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvnor4nm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/21 22:06:29; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvnr4nm/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvnr4nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:31; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnr4nm/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvnr4nm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:34:04; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnr4nm/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvnr4nm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:34:06; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvor1a17qm/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:06:34; author: ong; state: Exp; lines: +70 -70  
New bodies added or bodies modified

bu Jan 17-23 1995.log

-----  
revision 1.1  
date: 1995/01/21 19:34:15; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvor1a17qm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 22:06:36; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvor1a17qm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 19:34:11; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvor1a17qm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 19:34:13; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/BOM,v  
Working file: atlas2/BOM  
head: 201.2755  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 201.2700  
keyword substitution: kv

bu Jan 17-23 1995.log  
total revisions: 4418; selected revisions: 6  
description:

-----  
revision 2.6  
date: 1995/01/19 05:16:01; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/doc

clean and build

Geert

-----  
revision 2.5  
date: 1995/01/19 05:11:19; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/doc

Added clean-mecahnism

Geert

-----  
revision 2.4  
date: 1995/01/19 05:07:25; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas  
Makefile.defs

Added .html rules

Geert

-----  
revision 2.3  
date: 1995/01/19 05:00:43; author: geert; state: Exp; lines: +5 -1  
Release Target: atlas  
welcome.ht

Initial release

Geert

-----  
revision 2.2  
date: 1995/01/19 04:59:27; author: geert; state: Exp; lines: +5 -1  
Release Target: atlas/doc

Initial release

Geert

-----  
revision 2.1  
date: 1995/01/19 04:49:51; author: geert; state: Exp; lines: +5 -1  
Release Target: atlas  
Makefile.rules

Initial release

Geert

=====

RCS file: /p/cvsroot/atlas2/Makefile,v  
working file: atlas2/Makefile  
head: 200.24  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.24

bu Jan 17-23 1995.log

keyword substitution: kv  
total revisions: 35; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/01/17 18:53:52; author: wingard; state: Exp; lines: +2 -1  
Add defs and rules for the HTML documentation tree  
=====

RCS file: /p/cvsroot/atlas2/Makefile.defs,v  
working file: atlas2/Makefile.defs  
head: 200.39  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.39  
keyword substitution: kv  
total revisions: 99; selected revisions: 2  
description:

-----  
revision 1.3  
date: 1995/01/18 20:37:34; author: geert; state: Exp; lines: +2 -2  
Changed path to the doc.h file  
-----

revision 1.2  
date: 1995/01/17 18:53:54; author: wingard; state: Exp; lines: +33 -1  
Add defs and rules for the HTML documentation tree  
=====

RCS file: /p/cvsroot/atlas2/Makefile.rules,v  
working file: atlas2/Makefile.rules  
head: 200.15  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.15  
keyword substitution: kv  
total revisions: 32; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/01/18 18:23:50; author: wingard; state: Exp; lines: +2 -2  
Initial version of home page.  
Fix typo in DOC\_INCLUDE call in Makefile.rules  
-----

revision 2.1  
date: 1995/01/17 18:53:56; author: wingard; state: Exp;  
Add defs and rules for the HTML documentation tree  
=====

RCS file: /p/cvsroot/atlas2/welcome.ht,v  
working file: atlas2/welcome.ht  
head: 200.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.4  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

bu Jan 17-23 1995.log

-----  
revision 2.1  
date: 1995/01/18 18:23:52; author: wingard; state: Exp;  
Initial version of home page.  
Fix typo in DOC\_INCLUDE call in Makefile.rules  
=====

RCS file: /p/cvsroot/atlas2/doc/Attic/.checkoutrc,v  
Working file: atlas2/doc/.checkoutrc  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/01/19 05:15:19; author: geert; state: Exp; lines: +2 -2  
Added clean-make

Geert

-----  
revision 2.1  
date: 1995/01/19 04:58:30; author: geert; state: Exp;  
Initial check-in

Geert

=====

RCS file: /p/cvsroot/atlas2/doc/BOM,v  
Working file: atlas2/doc/BOM  
head: 208.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 203.0  
keyword substitution: kv  
total revisions: 101; selected revisions: 8  
description:  
releasebom adding BOM  
-----

revision 5.0  
date: 1995/01/19 05:15:51; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/doc

clean and build

Geert

-----  
revision 4.1  
date: 1995/01/19 05:15:45; author: geert; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 4.0  
date: 1995/01/19 05:11:09; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/doc

Added clean-mecahnism

Geert

bu Jan 17-23 1995.log

-----  
revision 3.1  
date: 1995/01/19 05:11:02; author: geert; state: Exp; lines: +3 -2  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 3.0  
date: 1995/01/19 04:59:18; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/doc

Initial release

Geert

-----  
revision 2.1  
date: 1995/01/19 04:59:11; author: geert; state: Exp; lines: +2 -1  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0  
date: 1995/01/18 18:27:30; author: wingard; state: Exp; lines: +1 -1  
Release Target: atlas

First version of HTML-based documentation system, with a few early  
documentation files.

-----  
revision 1.1  
date: 1995/01/18 18:27:22; author: wingard; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/doc/Attic/Makefile,v  
Working file: atlas2/doc/Makefile  
head: 1.13  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 3  
description:

-----  
revision 1.3  
date: 1995/01/19 05:09:00; author: geert; state: Exp; lines: +3 -1  
Added clean mecahnism

Geert

-----  
revision 1.2  
date: 1995/01/18 18:24:36; author: wingard; state: Exp; lines: +2 -2  
Add whats\_new and documentation overview  
Improve doc.h macros  
-----

revision 1.1  
date: 1995/01/17 18:54:29; author: wingard; state: Exp;  
Beginnings of the HTML documentation scheme. More to come...  
=====

RCS file: /p/cvsroot/atlas2/doc/clean-request,v  
Working file: atlas2/doc/clean-request  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:

bu Jan 17-23 1995.log

b4\_rich: 200.0

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 3.1

date: 1995/01/19 05:09:02; author: geert; state: Exp;

Added clean mecahnism

Geert

=====

RCS file: /p/cvsroot/atlas2/doc/decisions.ht,v

Working file: atlas2/doc/decisions.ht

head: 200.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 200.0

keyword substitution: kv

total revisions: 10; selected revisions: 5

description:

-----  
revision 1.5

date: 1995/01/18 18:24:38; author: wingard; state: Exp; lines: +5 -3

Add whats\_new and documentation overview

Improve doc.h macros

-----  
revision 1.4

date: 1995/01/17 19:18:24; author: wingard; state: Exp; lines: +1 -1

AAARGGGH Fourth try

-----  
revision 1.3

date: 1995/01/17 19:17:56; author: wingard; state: Exp; lines: +1 -1

Third try at getting CVS \$Id\$ string right...

-----  
revision 1.2

date: 1995/01/17 19:16:35; author: wingard; state: Exp; lines: +1 -1

Fix RCS version info string so it doesn't take up so much space

-----  
revision 1.1

date: 1995/01/17 18:54:31; author: wingard; state: Exp;

Beginnings of the HTML documentation scheme. More to come...

=====

RCS file: /p/cvsroot/atlas2/doc/Attic/doc.h,v

Working file: atlas2/doc/doc.h

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.2

date: 1995/01/18 18:24:40; author: wingard; state: Exp; lines: +4 -1

Add whats\_new and documentation overview

Improve doc.h macros

-----  
revision 1.1

bu Jan 17-23 1995.log  
date: 1995/01/17 18:54:33; author: wingard; state: Exp;  
Beginnings of the HTML documentation scheme. More to come...

---

RCS file: /p/cvsroot/atlas2/doc/Attic/documentation.ht,v  
working file: atlas2/doc/documentation.ht  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.2  
date: 1995/01/19 17:58:01; author: wingard; state: Exp; lines: +4 -4  
Fix URL to HTML Primer...

---

revision 1.1  
date: 1995/01/18 18:24:42; author: wingard; state: Exp;  
Add whats\_new and documentation overview  
Improve doc.h macros

---

RCS file: /p/cvsroot/atlas2/doc/Attic/whats\_new.ht,v  
working file: atlas2/doc/whats\_new.ht  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/18 18:24:44; author: wingard; state: Exp;  
Add whats\_new and documentation overview  
Improve doc.h macros

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvandff17qm/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvandff17qm/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/21 19:32:34; author: ong; state: Exp;  
initial check in of stdcell template schematic

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvandff17qm/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvandff17qm/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict

bu Jan 17-23 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:32:36; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandffb17qm/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvandffb17qm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:29; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandffb17qm/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xvandffb17qm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:31; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandffb17qm/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvandffb17qm/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:33; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandffb17qm/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvandffb17qm/spice\_cn.1.1  
head: 1.1  
branch:

bu Jan 17-23 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:35; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvandlb17qm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:32:45; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvandlb17qm/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:05:39; author: ong; state: Exp; lines: +66 -66  
New bodies added or bodies modified  
=====

-----  
revision 1.1  
date: 1995/01/21 19:32:47; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvandlb17qm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:32:41; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

bu jan 17-23 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvandlb17qm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:32:43; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffbbqm/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvffbbqm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:42; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffbbqm/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xvffbbqm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:44; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffbbqm/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvffbbqm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:05:46; author: ong; state: Exp; lines: +3 -3  
New bodies added or bodies modified

bu Jan 17-23 1995.log

-----  
revision 1.1  
date: 1995/01/21 19:32:52; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffbbqm/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvffbbqm/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 19:32:54; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvinvnm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 19:33:02; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvinvnm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 19:32:58; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvinvnm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1

bu Jan 17-23 1995.log

description:

-----  
revision 1.1  
date: 1995/01/21 19:33:00; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvlataqm/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:05:50; author: ong; state: Exp; lines: +18 -18  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:33:10; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xvlataqm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:52; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvlataqm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:07; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvlataqm/spice\_cn.1.1  
head: 1.2  
branch:

bu Jan 17-23 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:09; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvlatbqm/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:05:55; author: ong; state: Exp; lines: +19 -19  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:33:20; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xvlatbqm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:05:57; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvlatbqm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:16; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvlatbqm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:18; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvmux8nm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:01; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvmux8nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:02; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvmux8nm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:25; author: ong; state: Exp;  
initial check in of stdcell template schematic

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/21 19:33:27; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8qm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux8qm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.2
date: 1995/01/21 22:06:06; author: ong; state: Exp; lines: +45 -45
New bodies added or bodies modified
-----
revision 1.1
date: 1995/01/21 19:33:36; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8qm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux8qm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/21 22:06:07; author: ong; state: Exp;
New bodies added or bodies modified
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8qm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux8qm/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
=====
```

bu Jan 17-23 1995.log

description:

-----  
revision 1.1  
date: 1995/01/21 19:33:32; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8qm/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvmux8qm/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:33:34; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxff8nm/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvmuxff8nm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:11; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxff8nm/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xvmuxff8nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:12; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxff8nm/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvmuxff8nm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bu Jan 17-23 1995.log  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:06:14; author: ong; state: Exp; lines: +31 -40  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:33:40; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxff8nm/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvmuxff8nm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:06:16; author: ong; state: Exp; lines: +66 -66  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:33:43; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvmux1b8nm/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:06:19; author: ong; state: Exp; lines: +54 -53  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:33:53; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvmux1b8nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

bu Jan 17-23 1995.log

revision 1.1  
date: 1995/01/21 22:06:21; author: ong; state: Exp;  
New bodies added or bodies modified

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvmux1b8nm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/21 19:33:48; author: ong; state: Exp;  
initial check in of stdcell template schematic

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvmux1b8nm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/21 19:33:50; author: ong; state: Exp;  
initial check in of stdcell template schematic

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvnand4nm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/21 22:06:24; author: ong; state: Exp;  
New bodies added or bodies modified

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xvnand4nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

bu Jan 17-23 1995.log

-----  
revision 1.1  
date: 1995/01/21 22:06:26; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvnand4nm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 19:33:57; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvnand4nm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 19:33:59; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvnor4nm/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/21 22:06:29; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvnor4nm/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1

bu Jan 17-23 1995.log

description:

-----  
revision 1.1  
date: 1995/01/21 22:06:31; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvnor4nm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:34:04; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvnor4nm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:34:06; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvor1a17qm/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/01/21 22:06:34; author: ong; state: Exp; lines: +70 -70  
New bodies added or bodies modified  
-----

revision 1.1  
date: 1995/01/21 19:34:15; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xvor1a17qm/body.2.1  
head: 1.1  
branch:

bu Jan 17-23 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 22:06:36; author: ong; state: Exp;  
New bodies added or bodies modified  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvor1a17qm/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:34:11; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvor1a17qm/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/21 19:34:13; author: ong; state: Exp;  
initial check in of stdcell template schematic  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/run\_bltns,v  
working file: c\_tests/tcc\_builtins/run\_bltns  
head: 1.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/01/20 00:33:59; author: claseman; state: Exp; lines: +5 -3  
sets explicit path  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/run\_opt\_bltns,v  
working file: c\_tests/tcc\_builtins/run\_opt\_bltns  
head: 1.6

bu Jan 17-23 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:  
-----  
revision 1.2  
date: 1995/01/20 00:34:01; author: claseman; state: Exp; lines: +4 -2  
sets explicit path  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gadd16.s,v  
working file: c\_tests/tcc\_builtins/src/\_gadd16.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:42; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gadd8.s,v  
working file: c\_tests/tcc\_builtins/src/\_gadd8.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:44; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gcopy1.s,v  
working file: c\_tests/tcc\_builtins/src/\_gcopy1.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:46; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gcopy16.s,v  
working file: c\_tests/tcc\_builtins/src/\_gcopy16.s

bu Jan 17-23 1995.log

head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:48; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gcopy2.s,v  
working file: c\_tests/tcc\_builtins/src/\_gcopy2.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:50; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gcopy32.s,v  
working file: c\_tests/tcc\_builtins/src/\_gcopy32.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:52; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gcopy4.s,v  
working file: c\_tests/tcc\_builtins/src/\_gcopy4.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:54; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gcopy64.s,v

bu Jan 17-23 1995.log  
Working file: c\_tests/tcc\_builtins/src/\_gcopy64.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:55; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gcopy8.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gcopy8.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:57; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gmul16.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gmul16.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:59; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gmul8.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gmul8.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:47:01; author: claseman; state: Exp;  
initial revision  
=====

bu Jan 17-23 1995.log  
RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gmuladd16.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gmuladd16.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:47:03; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gmuladd8.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gmuladd8.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:47:05; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gsub16.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gsub16.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:47:06; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gsub8.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gsub8.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:47:08; author: claseman; state: Exp;  
initial revision  
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gswap1.s,v  
working file: c\_tests/tcc\_builtins/src/\_gswap1.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:47:10; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gswap16.s,v  
working file: c\_tests/tcc\_builtins/src/\_gswap16.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:47:12; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gswap2.s,v  
working file: c\_tests/tcc\_builtins/src/\_gswap2.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:47:13; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gswap32.s,v  
working file: c\_tests/tcc\_builtins/src/\_gswap32.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:47:15; author: claseman; state: Exp;  
initial revision

bu Jan 17-23 1995.log

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap4.s,v
working file: c_tests/tcc_builtins/src/_gswap4.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:17;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap64.s,v
working file: c_tests/tcc_builtins/src/_gswap64.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:19;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap8.s,v
working file: c_tests/tcc_builtins/src/_gswap8.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:21;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gumull6.s,v
working file: c_tests/tcc_builtins/src/_gumull6.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:23;  author: claseman;  state: Exp;
```

bu jan 17-23 1995.log

initial revision

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gumul8.s,v
Working file: c_tests/tcc_builtins/src/_gumul8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:25; author: claseman; state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gumuladd16.s,v
Working file: c_tests/tcc_builtins/src/_gumuladd16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:26; author: claseman; state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gumuladd8.s,v
Working file: c_tests/tcc_builtins/src/_gumuladd8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:28; author: claseman; state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gadd16.c,v
Working file: c_tests/tcc_builtins/src/gadd16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
```

bu Jan 17-23 1995.log

date: 1995/01/22 02:45:54; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gadd8.c,v  
working file: c\_tests/tcc\_builtins/src/gadd8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/22 02:45:57; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gcopy1.c,v  
working file: c\_tests/tcc\_builtins/src/gcopy1.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/22 02:45:58; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gcopy16.c,v  
working file: c\_tests/tcc\_builtins/src/gcopy16.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/22 02:46:00; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gcopy2.c,v  
working file: c\_tests/tcc\_builtins/src/gcopy2.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

bu Jan 17-23 1995.log

revision 1.1  
date: 1995/01/22 02:46:02; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gcopy2.s,v  
Working file: c\_tests/tcc\_builtins/src/gcopy2.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/22 02:47:30; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gcopy32.c,v  
Working file: c\_tests/tcc\_builtins/src/gcopy32.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/22 02:46:04; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gcopy4.c,v  
Working file: c\_tests/tcc\_builtins/src/gcopy4.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/01/22 02:46:06; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gcopy64.c,v  
Working file: c\_tests/tcc\_builtins/src/gcopy64.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

bu Jan 17-23 1995.log

-----  
revision 1.1  
date: 1995/01/22 02:46:07; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gcopy8.c,v  
working file: c\_tests/tcc\_builtins/src/gcopy8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:09; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gmul16.c,v  
working file: c\_tests/tcc\_builtins/src/gmul16.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:11; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gmul8.c,v  
working file: c\_tests/tcc\_builtins/src/gmul8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:13; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gmuladd16.c,v  
working file: c\_tests/tcc\_builtins/src/gmuladd16.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1

bu Jan 17-23 1995.log

description:

-----  
revision 1.1  
date: 1995/01/22 02:46:15; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gmuladd8.c,v  
working file: c\_tests/tcc\_builtins/src/gmuladd8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:46:16; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gsub16.c,v  
working file: c\_tests/tcc\_builtins/src/gsub16.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:46:18; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gsub8.c,v  
working file: c\_tests/tcc\_builtins/src/gsub8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:46:20; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gswap1.c,v  
working file: c\_tests/tcc\_builtins/src/gswap1.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bu Jan 17-23 1995.log  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:22; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gswap1.s,v  
working file: c\_tests/tcc\_builtins/src/gswap1.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:47:32; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gswap16.c,v  
working file: c\_tests/tcc\_builtins/src/gswap16.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:24; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gswap2.c,v  
working file: c\_tests/tcc\_builtins/src/gswap2.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:26; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gswap32.c,v  
working file: c\_tests/tcc\_builtins/src/gswap32.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:

bu Jan 17-23 1995.log

keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/01/22 02:46:28; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gswap4.c,v  
Working file: c\_tests/tcc\_builtins/src/gswap4.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:30; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gswap64.c,v  
Working file: c\_tests/tcc\_builtins/src/gswap64.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:32; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gswap8.c,v  
Working file: c\_tests/tcc\_builtins/src/gswap8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/01/22 02:46:33; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gumul16.c,v  
Working file: c\_tests/tcc\_builtins/src/gumul16.c  
head: 1.1  
branch:  
locks: strict  
access list:

bu Jan 17-23 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:46:35; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gumul8.c,v  
Working file: c\_tests/tcc\_builtins/src/gumul8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:46:37; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gumuladd16.c,v  
Working file: c\_tests/tcc\_builtins/src/gumuladd16.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:46:39; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gumuladd8.c,v  
Working file: c\_tests/tcc\_builtins/src/gumuladd8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/01/22 02:46:41; author: claseman; state: Exp;  
initial revision  
=====